

MATERIAL SAFETY DATA SHEET

I. GENERAL INFORMATION

ENFORCER PRODUCTS, INC. P. O. BOX 1060 CARTERSVILLE, GA. 30120	MANUFACTURER'S PHONE NUMBER: (770) 386-0801 24 HOUR EMERGENCY NUMBER: 1-800-255-3924	HAZARD RATINGS: HEALTH_2_ REACTIVITY_0_ FLAMMABILITY_0_ PERSONAL PROTECTION_A_
PRODUCT NAME: ZEP COMMERCIAL PEST TERMITE & ANT KILLER		EPA REG. NO.: 432-772-40849
PREPARED BY: S. SHELKOP		DATE: OCTOBER 29, 1999

II. INGREDIENTS

<u>PRINCIPAL COMPONENTS</u>	<u>CAS NUMBER</u>	<u>PERCENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>OTHER</u>	<u>HAZARD</u>
DELTAMETHRIN	52918-63-5	0.05	NOT ESTAB.	NOT ESTAB.	N/A	N/A
INERT INGREDIENTS	*	*	*	*	*	*

III. PHYSICAL DATA

BOILING POINT: N/A	SPECIFIC GRAVITY: 55.5 LB/FT ³ (FLUFFED)	VAPOR PRESSURE (mm Hg.): > 17
PERCENT VOLATILE BY VOLUME: N/A	VAPOR DENSITY: N/A	EVAPORATION RATE (Butyl Acetate = 1): N/A
SOLUBILITY IN WATER: INSOLUBLE	APPEARANCE & ODOR: WHITE POWDER WITH VERY FAINT INDETERMINATE TO CHALK-LIKE ODOR.	

IV. FIRE & EXPLOSION DATA

FLASHPOINT (Method used): NONE	AUTOIGNITION TEMPERATURE: N/A	FLAMMABLE LIMITS: N/A
LEL: N/A	UEL: N/A	EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM, OR WATER
SPECIAL FIRE FIGHTING PROCEDURES:	FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING WHEN FIGHTING FIRES THAT INVOLVES THIS PRODUCT. CARBON MONOXIDE AND CARBON DIOXIDE MIGHT BE RELEASED WHEN EXPOSED TO FIRE CONDITIONS.	
UNUSUAL FIRE & EXPLOSION HAZARDS:	PRODUCT MAY RELEASE CO AND CO2 UNDER FIRE CONDITIONS	

V. REACTIVITY HAZARD DATA

STABILITY: [X] STABLE UNSTABLE	CONDITIONS TO AVOID: NONE KNOWN
INCOMPATIBILITY (Materials to avoid):	AVOID CONTACT WITH STRONG OXIDIZING AND REDUCING AGENTS.
HAZARDOUS POLYMERIZATION:	WILL OCCUR X WILL NOT OCCUR
HAZARDOUS DECOMPOSITION PRODUCTS:	EXPOSURE TO FIRE WILL RESULT IN RELEASE OF CARBON MONOXIDE AND CARBON DIOXIDE

IX. ADDITIONAL INFORMATION

PROPER DOT SHIPPING NAME: NOT DOT REGULATED

BIODEGRADABILITY: NOT DETERMINED

EMPTY CONTAINER HANDLING: WARNING! EMPTIED CONTAINER RETAINS PRODUCT RESIDUE. OBSERVE ALL PRECAUTIONS
EVEN AFTER CONTAINER IS EMPTIED. KEEP EMPTIED CONTAINER CLOSED TIGHTLY.

THIS INFORMATION COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.

***** END OF REPORT *****