A15859 SAFETY MATERIAL DATA SHEET ITEM NUMBER: 859 -BASEBOARD STRIPPER VERSION 2 EFFECTIVE DATE: 04/12/01 SUPERCEDES: 05/07/98 PREPARED BY: Ron Cepa Section(s) Revised: HMIS, II, IV, VI, VIII IDENTITY (As Used On Label and List): BASEBOARD STRIPPER EMERGENCY MEDICAL Telephone# 1-800-228-5635 X 009 (24 Hrs) Outside of the U.S.A. Call 651-632-9275 PRODUCT HAZARD RATINGS (HMIS): - Health = 1, Fire = 2, Reactivity = 0, Protective Equipment = B (Rating Legend: - 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal, * = Chronic Hazard) *-*-*-*-*-*-*-*-*-*-* SECTION I _*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_ Daycon Products Company Inc. TELEPHONE NUMBER FOR INFORMATION : 1-301/218-1000 16001 Trade Zone Avenue Upper Marlboro, MD 20774-8795 DATE PRINTED : 5/23/01 NAME OF PREPARER : Ron Cepa *-*-*-*-*-*-*-* SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION _*_*_*_*_*_ **Chemical Names** CAS # SARA Title III ACGIH OSHA % By Wt. SEC 313 TLV/TWA PEL 111-76-2 20 ppm* 25 ppm* 20-30 2-Butoxvethanol Yes **Tetrasodium EDTA** 64-02-8 NA NA 1-5 No Organic phosphate ester 68412-53-3 Yes 1mg/m3 1mg/m31-5 Liquified petroleum gas mixture See below No 10-20 Propane NE 74-98-6 1000 ppm n-Butane 106-97-8 600 ppm NE _ * Skin Balance of ingredients are non-hazardous or below reportable levels. *-*-*-*-*-*-*-*-* SECTION III - PHYSICAL CHARACTERISTICS _*_*_*_*_*_*_*_*_*_*_*_*_ Boiling Point: NA Vapor Pressure (psig): 115+/-5@130F Specific Gravity (H20=1): <1 Vapor Density (AIR=1): >1 Solubility/Water: Slight Evaporation Rate (Ether=1): <1 Appearance and Odor: Semi-stable, foaming spray, pine solvent odor. *-*-*-*-*-*-* SECTION IV - FIRE AND EXPLOSION HAZARD DATA _*_*_*_*_*_*_*_*_*_ Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45. Flashpoint: <0F (Propellant); 100F (Concentrate) Flammable Limits - % Volume In Air (Propellant): LEL: 1.9 UEL: 9.5 Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used. Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pUse equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers. Unusual Fire and Explosion Hazards: At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure. *-*-*-*-*-*-*-* SECTION V - REACTIVITY DATA Stability: Hazardous Polymerization: NA Stable Incompatibility (Materials to Avoid): Strong oxidizing materials, reactive metals, heat and open flame. Hazardous Decomposition Products: Carbon dioxide, carbon monoxide and additional toxic chemicals may be formed in small amounts. Conditions to Avoid: Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting. *-*-*-*-*-*-*-* SECTION VI - HEALTH HAZARD DATA _*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_*_ Inhalation: X Eves: X Skin: X Route(s) of Entry -Indestion: Respiratory irritation. High concentrations may produce headache, Signs and Symptoms of Exposure: dizziness and nausea. Prolonged or repeated skin contact may lead to drying, irritation and dermatitis. Possible skin

Daycon Baseboard Stripper

absorption. Eye contact may cause burning and irritation. This product contains 2-Butoxyethanol, which if ingested

in significant quantities may result in red blood cell hemolysis.Emergency and First Aid Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while

holding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing. Flush skin with water, follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. Ingestion: Get medical attention.

NOTE TO PHYSICIAN: There is no specific antidote. Treatment of overexposure should be directed at the control

of symptoms and the clinical condition.

CARCINOGENICITY:

No regulated ingredients.

TOXICITY INFORMATION:

2-Butoxyethanol:

2-butoxyethanol may affect the liver and kidneys and may increase red blood cell hemolysis.

Tetrasodium EDTA:

LD50 Oral (Rat): 3030 mg/kg

Organic phosphate ester:

LD50 Oral (Rat): 3630 mg/kg

Waste Disposal Method: Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations.

Handling And Storing: Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 130F (54C). Store as Level 1 Aerosol (NFPA 30B).

Other Precautions: Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health. *-*-*-*-**-** SECTION VIII - EMPLOYEE PROTECTION

Respiratory Protection (Type): None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure.

Ventilation: General ventilation is adequate under normal conditions, mechanical ventilation is optional. Protective Gloves: Chemical resistant gloves are recommended - consult glove manufacturer to determine the proper

type for a specific operation.

Eye Protection: Chemical safety glasses are recommended.

Other Protective Clothing or Equipment: Wear impervious clothing to prevent skin contact.

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals.

Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

GovernmenShipping Name: Consumer Commodity Hazard Class: ORM-D

NG - Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty

or guarantee, express or implied, and disclaims all liability arising out of the use of this information. EFFECTIVE DATE: 04/12/01 SUPERCEDES: 05/07/98 PREPARED BY: Ron Cepa