

MAR 12 '92 11:50 NO TOUCH NO. AMERICA TIRE CARE

P.1/2

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standards must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072



IDENTITY (As Used on Label and List)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name NO TOUCH North America	Emergency Telephone Number (714) 753-0760
Address (Number, Street, City, State, and ZIP Code) 8001 Irvine Center Drive Suite 1170	Telephone Number for Information (714) 753-0760
Irvine, California 97218-2900	Date Prepared January 11, 1991
	Signature of Preparer (optional)

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
SILICON OIL EMULSION (CAS NO. 63148-62-9, 9004-57-9)			37.00%	
PARAFFIN OIL			2.00%	
PROPYLENE GLYCOL			2.00%	
25% AMMONIA WATER (CAS NO. 1366-21-6)			0.05%	
AMMONIUM BENZOATE (CAS NO. 1863-63-4)			0.30%	
DEIONATED WATER			BALANCE	

AEROSOL: CONTENTS UNDER PRESSURE

Section III — Physical/Chemical Characteristics

Boiling Point RANGE 10°F to 210°F	Specific Gravity (H ₂ O = 1) 1 ± 0.005 at 68°F
Vapor Pressure (mm Hg) N/A	Melting Point N/A
Vapor Density (AIR = 1) 1 <	Evaporation Rate (Butyl Acetate = 1) <1
Solubility in Water	

Appearance and Odor

MILKY WHITE, NO ODOR

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used) BASED ON N-BUTANE	Flammable Limits BASED ON N-BUTANE	LEL	UEL
Extinguishing Media FOAM, CARBON DIOXIDE, DRY CHEMICAL			
Special Fire Fighting Procedures CAN MAY BURST WHEN HEATED			

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable X	
Incompatibility (Materials to Avoid) N/A		
Hazardous Decomposition or Byproducts CO2, H2O, SiO2		
Hazardous Polymerization	May Occur	Conditions to Avoid
	Will Not Occur X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? YES	Skin? YES	Ingestion? NO
Health Hazards (Acute and Chronic) ACCORDING TO HODGE'S TOXICITY EVALUATION, CLASSIFIED INTO NON-TOXIC CATEGORY (REFER TO ATTACHED TEST RESULTS)			

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Required?
------------------	------	------------------	----------------

Signs and Symptoms of Exposure: INHALATION DIFFICULTY IN BREATHING

Medical Conditions Generally Aggravated by Exposure:

Emergency and First Aid Procedures: SUPPLY OXYGEN; IN CASE OF EYE CONTACT, FLUSH WITH WATER

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: USE TISSUE OR RUG TO ABSORB

Waste Disposal Method: DISPOSE IN ACCORDANCE WITH LOCAL REGULATIONS

Precautions to Be Taken in Handling and Storage: KEEP AWAY FROM HEAT OR OPEN FLAME. DO NOT STORE

AT TEMPERATURES ABOVE 120 F.

Other Precautions: KEEP AWAY FROM CHILDREN. DO NOT PUNCTURE OR INCINERATE

Section VIII - Control Measures

Respiratory Protection (Specify Type): SELF-CONTAINED BREATHING APPARATUS MAY BE REQUIRED

Ventilation	Local Exhaust	YES	Special	NONE
	Mechanical (General)	NONE	Other	NONE

Protective Gloves: RECOMMENDED Eye Protection: NOT REQUIRED WHEN USED AS DIRECTED

Other Protective Clothing or Equipment: NOT NECESSARY

Work Hygiene Practices: N/A